



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/3144/162/05/23/0851


Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : RAJA INTERNATIONAL GENERAL TRADING (FZE)
P.O BOX 123618,2-89,SAIF ZONE,SHARJAH UAE
UNITED ARAB EMIRATES

Description

PPE Type : *protective glove against mechanical risks*
Product reference : RIG SHIELD
Article code : ISU4544EP
Glove description : ISU RIG-SHIELD ANTI -IMPACT GLOVES
Available sizes : 7-12

Pictures :



Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN 388:2016 + A1:2018

4 X 4 4 F P

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from MAY 2023

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Séverine AUBERT
CE Expert Team Coordinator

Date of first issue : 23 May 2023
End of validity date : 23 May 2028



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

RAJA INTERNATIONAL GENERAL TRADING (FZE)

**MANUFACTURER'S TECHNICAL FILE TO THE
PPE REGULATION 2016/425**

Reference of the product	:	RIG SHIELD
Article code	:	ISU4544EP
Technical file index	:	01
Last update	:	MAY 2023

IDENTIFICATION

Reference of the product :	:	RIG SHIELD
Article code :	:	ISU4544EP
Basic Model		
Technical file index :	:	01
Last update :	:	MAY 2023

Manufacturer :

RAJA INTERNATIONAL GENERAL TRADING (FZE)
P.O BOX 123618,2-89,SAIF ZONE,SHARJAH UAE
UNITED ARAB EMIRATES

tel : 965 6003 1661

fax : 965 2482 4696

GLOVE DESCRIPTION

General glove description and intended use:

ISU RIG-SHIELD ANTI -IMPACT GLOVES

This glove is designed against mechanical risks.

Type of coating finish : sandy

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		YELLOW + WHITE	HPPE (HIGH PERFORMANCE POLYETHYLENE) / NYLON / SPANDEX / GLASS FIBER	110	13 GAUGES	
		BLACK	NITRILE			0.5MM
	PALM REINFORCEMENT	WHITE	POLYESTER/ PU FOAM/ EVA			
	THUMB CROTCH REINFORCEMENT	BLACK	PVC(POLYESTER BACKING)			
Back		YELLOW + WHITE	HPPE (HIGH PERFORMANCE POLYETHYLENE) / NYLON/ SPANDEX / GLASS FIBER	110	13 GAUGES	
		BLACK / YELLOW	TPR (THERMOPLASTIC RUBBER)			1CM
Cuff		YELLOW + WHITE	HPPE (HIGH PERFORMANCE POLYETHYLENE) / NYLON / SPANDEX / GLASS FIBER / ELASTIC	116	13 GAUGES	
Binding		BLACK	PU (POLYESTER BACKING)			
Accessories	VELCRO	BLACK	POLYESTER			
	VELCRO COVER	BLACK / WHITE	TPR (THERMOPLASTIC RUBBER)			0.35MM

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 5

Available size range: 7-12

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	X
Tear strength resistance	4
Puncture resistance	4
Cut Resistance method (EN ISO 13997)	F
Impact Protection	P

Impact protection is claimed on the following areas : Back metacarpal knuckles

The levels of performance have been measured on the palm (except Impact Protection).

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S230100514_1 S230100486_2 (dmfu) S230504051_1	
EN 388	S230100514_1 S230402660_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : RIG SHIELD

Article Code : ISU4544EP

Size indicator

Pictograms related to risks against which protection is offered with performance levels


Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :



Method of marking on the glove :

PRINTING ON GLOVES BACK

Packaging suitable for transport:

a pair of gloves sold unpacked and individually, 12PAIRS/POLYBAG, 120PAIRS/CARTON

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

- 1.Purchase control According to quality influence degree of the final product in purchase, it is necessary to classify the purchased materials.The production affecting the qualities of final products should be purchased in the name list of eligible sub-contractor.Except for the above,the other products could be purchased in the market directly.
- 2.When all materials are set,the technicaian will check all quality beofre mass production.
- 3.Personal Control: After quality training, the project department organizes quality personnel,security personal to understand the technical intentions,acceptance standard,quality aim and safety measures of the special process.
- 4.Equipment control the project department is responsible for the inspection of equipments used in the special process to ensure their perfection and make records.
- 5.Packing control,when packing we have also QC to check goods and send the samples to test EN388/EN ISO 21420 for 5 years, then keep all goods are qualifed.

INSTRUCTION FOR USE

RAJA INTERNATIONAL GENERAL TRADING (FZE)

P.O BOX 123618,2-89,SAIF ZONE,SHARJAH UAE

UNITED ARAB EMIRATES

Glove reference : RIG SHIELD

Article code: ISU4544EP

User notice index : 01

Last update : MAY 2023

Glove description :

ISU RIG-SHIELD ANTI -IMPACT GLOVES

This glove is a personal protective equipment belonging to the category II.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE



EN388:2016



NL / Lot

Made in China
P.O. BOX 123618, A2-89
SAIF-ZONE, SHARJAH, U.A.E

Applicable standards :

The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity: 5

Available size range: 7-12

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B.

Moreover, this glove has been designed for the following applications :

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Application :

Mechanical hazard - EN
388:2016 + A1:2018



Read carefully the instructions for use provided with the product



4 X 4 4 F P

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	X	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	4	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	F	(A to F)
Impact Protection	P	

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear, ...).

No flame protection is claimed. This glove shall not be in contact with naked flame.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove (except Impact protection).

Impact protection is claimed on the following areas : Back metacarpal knuckles

Impact protection does not apply to the finger.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available with product.

Available on : www.shield-u.com